



Performance Data & Information

Home Energy Efficiency Improvement Tax Credit

Manufacturer's Certification Statement

880 Southview Drive, Mosinee, WI 54455

Visions Windows and Doors is a manufacturer of exterior windows and patio doors. This Manufacturer's Certification Statement serves as verification that the Visions window and door products listed below qualify for the Energy Tax Credit in accordance with IRS 2006-26 document.

Visions 3000						
Product Line	Grills	Glazing Thickness	Glazing Option	U-Factor	SHGC	Tax Credit
Single Hung	none	3/4"	Insul Low-e 240 w/ Argon	0.29	0.20	Y
Single Hung	none	3/4"	Zo-e-shield 5 w/ Argon	0.28	0.22	Y
Single Hung	none	3/4"	Zo-e-shield 6 w/ Argon	0.29	0.22	Y
Single Hung	Std GIA/SDL	3/4"	Insul Low-e w/ Argon	0.29	0.30	Y
Single Hung	Std GIA/SDL	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.29	Y
Single Hung	Std GIA/SDL	3/4"	Insul Low-e 240 w/ Argon	0.29	0.18	Y
Single Hung	Std GIA/SDL	3/4"	Zo-e-shield 5 w/ Argon	0.28	0.20	Y
Single Hung	Std GIA/SDL	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.20	Y
Single Hung	15/16" GIA	3/4"	Insul Low-e w/ Argon	0.29	0.27	Y
Single Hung	15/16" GIA	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.26	Y
Single Hung	15/16" GIA	3/4"	Insul Low-e 240 w/ Argon	0.29	0.17	Y
Single Hung	15/16" GIA	3/4"	Zo-e-shield 5 w/ Argon	0.28	0.18	Y
Single Hung	15/16" GIA	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.18	Y
Single Hung	none	1"	Zo-e-shield 7	0.25	0.20	Y
Single Hung	none	1"	Zo-e-shield 7 w/ Argon	0.21	0.20	Y
Single Hung	Std GIA/SDL	1"	Zo-e-shield 7	0.25	0.17	Y
Single Hung	Std GIA/SDL	1"	Zo-e-shield 7 w/ Argon	0.21	0.17	Y
Double Hung	none	3/4"	Insul Bronze Low-e w/ Argon	0.28	0.30	Y
Double Hung	none	3/4"	Insul Low-e 240 w/ Argon	0.28	0.20	Y
Double Hung	none	3/4"	Zo-e-shield 5 w/ Argon	0.27	0.21	Y
Double Hung	none	3/4"	Zo-e-shield 6 w/ Argon	0.28	0.21	Y
Double Hung	Std GIA/SDL	3/4"	Insul Low-e w/ Argon	0.28	0.29	Y
Double Hung	Std GIA/SDL	3/4"	Insul Bronze Low-e w/ Argon	0.28	0.27	Y
Double Hung	Std GIA/SDL	3/4"	Insul Low-e 240 w/ Argon	0.28	0.18	Y
Double Hung	Std GIA/SDL	3/4"	Zo-e-shield 5 w/ Argon	0.27	0.19	Y
Double Hung	15/16" GIA	3/4"	Insul Low-e w/ Argon	0.28	0.26	Y
Double Hung	15/16" GIA	3/4"	Insul Bronze Low-e w/ Argon	0.28	0.24	Y
Double Hung	15/16" GIA	3/4"	Insul Low-e 240 w/ Argon	0.28	0.16	Y
Double Hung	15/16" GIA	3/4"	Zo-e-shield 5 w/ Argon	0.27	0.17	Y
Double Hung	none	1"	Zo-e-shield 7	0.25	0.20	Y
Double Hung	none	1"	Zo-e-shield 7 w/ Argon	0.21	0.20	Y
Double Hung	Std GIA/SDL	1"	Zo-e-shield 7	0.25	0.17	Y
Double Hung	Std GIA/SDL	1"	Zo-e-shield 7 w/ Argon	0.21	0.17	Y
Single Slider	none	3/4"	Insul Low-e 240 w/ Argon	0.29	0.20	Y
Single Slider	none	3/4"	Zo-e-shield 5 w/ Argon	0.27	0.22	Y
Single Slider	none	3/4"	Zo-e-shield 6 w/ Argon	0.28	0.22	Y
Single Slider	Std GIA/SDL	3/4"	Insul Low-e w/ Argon	0.29	0.30	Y
Single Slider	Std GIA/SDL	3/4"	Insul Low-e 240 w/ Argon	0.29	0.18	Y
Single Slider	Std GIA/SDL	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.29	Y
Single Slider	Std GIA/SDL	3/4"	Zo-e-shield 5 w/ Argon	0.27	0.20	Y
Single Slider	Std GIA/SDL	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.20	Y
Single Slider	15/16" GIA	3/4"	Zo-e-shield 5 w/ Argon	0.27	0.18	Y
Single Slider	15/16" GIA	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.18	Y
Single Slider	none	1"	Zo-e-shield 7	0.25	0.20	Y
Single Slider	none	1"	Zo-e-shield 7 w/ Argon	0.21	0.20	Y
Single Slider	Std GIA/SDL	1"	Zo-e-shield 7	0.25	0.17	Y
Single Slider	Std GIA/SDL	1"	Zo-e-shield 7 w/ Argon	0.21	0.17	Y

Continued on the next page



Performance Data & Information

Home Energy Efficiency Improvement Tax Credit

Manufacturer's Certification Statement

880 Southview Drive, Mosinee, WI 54455

Visions Windows and Doors is a manufacturer of exterior windows and patio doors. This Manufacturer's Certification Statement serves as verification that the Visions window and door products listed below qualify for the Energy Tax Credit in accordance with IRS 2006-26 document.

Visions 3000

<u>Product Line</u>	<u>Grills</u>	<u>Glazing Thickness</u>	<u>Glazing Option</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>Tax Credit</u>
Triple Slider	none	3/4"	Insul Low-e 240 w/ Argon	0.29	0.20	Y
Triple Slider	none	3/4"	Zo-e-shield 5 w/ Argon	0.27	0.22	Y
Triple Slider	none	3/4"	Zo-e-shield 6 w/ Argon	0.28	0.22	Y
Triple Slider	Std GIA/SDL	3/4"	Insul Low-e w/ Argon	0.29	0.30	Y
Triple Slider	Std GIA/SDL	3/4"	Insul Low-e 240 w/ Argon	0.29	0.18	Y
Triple Slider	Std GIA/SDL	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.29	Y
Triple Slider	Std GIA/SDL	3/4"	Zo-e-shield 5 w/ Argon	0.27	0.20	Y
Triple Slider	Std GIA/SDL	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.20	Y
Triple Slider	15/16" GIA	3/4"	Zo-e-shield 5 w/ Argon	0.27	0.18	Y
Triple Slider	15/16" GIA	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.18	Y
Direct Set	none	3/4"	Insul Low-e 240 w/ Argon	0.26	0.22	Y
Direct Set	none	3/4"	Zo-e-shield 5 w/ Argon	0.26	0.24	Y
Direct Set	none	3/4"	Zo-e-shield 6 w/ Argon	0.28	0.24	Y
Direct Set	Std GIA/SDL	3/4"	Insul Low-e 240 w/ Argon	0.28	0.18	Y
Direct Set	Std GIA/SDL	3/4"	Zo-e-shield 5 w/ Argon	0.26	0.22	Y
Direct Set	Std GIA/SDL	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.21	Y
Direct Set	15/16" GIA	3/4"	Insul Low-e 240 w/ Argon	0.28	0.18	Y
Direct Set	15/16" GIA	3/4"	Zo-e-shield 5 w/ Argon	0.26	0.19	Y
Direct Set	15/16" GIA	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.19	Y
Casement	none	3/4"	Insul Low-e w/ Argon	0.29	0.28	Y
Casement	none	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.27	Y
Casement	none	3/4"	Insul Gray Low-e w/Argon	0.28	0.24	Y
Casement	none	3/4"	Insul Low-e 240 w/ Argon	0.30	0.17	Y
Casement	none	3/4"	Zo-e-shield 5 w/ Argon	0.29	0.19	Y
Casement	none	3/4"	Zo-e-shield 6 w/ Argon	0.29	0.19	Y
Casement	none	1"	Zo-e-shield 7	0.25	0.17	Y
Casement	none	1"	Zo-e-shield 7 w/Argon	0.22	0.17	Y
Casement	Std GIA/SDL	3/4"	Insul Low-e w/ Argon	0.29	0.25	Y
Casement	Std GIA/SDL	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.24	Y
Casement	Std GIA/SDL	3/4"	Insul Gray Low-e w/Argon	0.28	0.22	Y
Casement	Std GIA/SDL	3/4"	Insul Low-e 240 w/ Argon	0.30	0.16	Y
Casement	Std GIA/SDL	3/4"	Zo-e-shield 5 w/ Argon	0.29	0.17	Y
Casement	Std GIA/SDL	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.17	Y
Casement	Std GIA/SDL	1"	Zo-e-shield 7	0.26	0.16	Y
Casement	Std GIA/SDL	1"	Zo-e-shield 7 w/Argon	0.22	0.15	Y
Casement	15/16" GIA	3/4"	Insul Low-e w/ Argon	0.29	0.23	Y
Casement	15/16" GIA	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.22	Y
Casement	15/16" GIA	3/4"	Insul Gray Low-e w/Argon	0.28	0.20	Y
Casement	15/16" GIA	3/4"	Insul Low-e 240 w/ Argon	0.30	0.15	Y
Casement	15/16" GIA	3/4"	Zo-e-shield 5 w/ Argon	0.29	0.16	Y
Casement	15/16" GIA	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.16	Y
Casement	15/16" GIA	1"	Zo-e-shield 7	0.26	0.14	Y
Casement	15/16" GIA	1"	Zo-e-shield 7 w/Argon	0.22	0.14	Y
Awning	none	3/4"	Insul Low-e w/ Argon	0.29	0.28	Y
Awning	none	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.27	Y
Awning	none	3/4"	Insul Gray Low-e w/Argon	0.28	0.24	Y
Awning	none	3/4"	Insul Low-e 240 w/ Argon	0.30	0.17	Y
Awning	none	3/4"	Zo-e-shield 5 w/ Argon	0.28	0.19	Y
Awning	none	3/4"	Zo-e-shield 6 w/ Argon	0.29	0.19	Y

Continued on the next page



Performance Data & Information

Home Energy Efficiency Improvement Tax Credit

Manufacturer's Certification Statement

880 Southview Drive, Mosinee, WI 54455

Visions Windows and Doors is a manufacturer of exterior windows and patio doors. This Manufacturer's Certification Statement serves as verification that the Visions window and door products listed below qualify for the Energy Tax Credit in accordance with IRS 2006-26 document.

Visions 3000

<u>Product Line</u>	<u>Grills</u>	<u>Glazing Thickness</u>	<u>Glazing Option</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>Tax Credit</u>
Awning	none	1"	Zo-e-shield 7	0.25	0.17	Y
Awning	none	1"	Zo-e-shield 7 w/ Argon	0.22	0.17	Y
Awning	Std GIA/SDL	3/4"	Insul Low-e w/ Argon	0.29	0.25	Y
Awning	Std GIA/SDL	3/4"	Insul Low-e 240 w/ Argon	0.30	0.16	Y
Awning	Std GIA/SDL	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.24	Y
Awning	Std GIA/SDL	3/4"	Insul Gray Low-e w/Argon	0.28	0.22	Y
Awning	Std GIA/SDL	3/4"	Zo-e-shield 5 w/ Argon	0.28	0.17	Y
Awning	Std GIA/SDL	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.17	Y
Awning	Std GIA/SDL	1"	Zo-e-shield 7	0.26	0.16	Y
Awning	Std GIA/SDL	1"	Zo-e-shield 7 w/ Argon	0.22	0.15	Y
Awning	15/16" GIA	3/4"	Insul Low-e w/ Argon	0.29	0.23	Y
Awning	15/16" GIA	3/4"	Insul Low-e 240 w/ Argon	0.30	0.14	Y
Awning	15/16" GIA	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.22	Y
Awning	15/16" GIA	3/4"	Insul Gray Low-e w/Argon	0.28	0.20	Y
Awning	15/16" GIA	3/4"	Zo-e-shield 5 w/ Argon	0.28	0.16	Y
Awning	15/16" GIA	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.16	Y
Awning	15/16" GIA	1"	Zo-e-shield 7	0.25	0.14	Y
Awning	15/16" GIA	1"	Zo-e-shield 7 w/Argon	0.22	0.14	Y
Casement Picture	none	3/4"	Insul Low-e 240	0.30	0.20	Y
Casement Picture	none	3/4"	Insul Low-e 240 w/ Argon	0.27	0.20	Y
Casement Picture	none	3/4"	Insul Gray Low-e	0.30	0.29	Y
Casement Picture	none	3/4"	Insul Gray Low-e w/Argon	0.26	0.29	Y
Casement Picture	none	1"	Zo-e-shield 5	0.29	0.22	Y
Casement Picture	none	1"	Zo-e-shield 5 w/ Argon	0.26	0.21	Y
Casement Picture	none	1"	Zo-e-shield 6	0.30	0.21	Y
Casement Picture	none	1"	Zo-e-shield 6 w/ Argon	0.26	0.21	Y
Casement Picture	none	1"	Zo-e-shield 7	0.24	0.20	Y
Casement Picture	none	1"	Zo-e-shield 7 w/ Argon	0.20	0.20	Y
Casement Picture	Std GIA/SDL	1"	Zo-e-shield 7	0.24	0.18	Y
Casement Picture	Std GIA/SDL	1"	Zo-e-shield 7 w/ Argon	0.20	0.18	Y
Casement Picture	Std GIA/SDL	1"	Zo-e-shield 5	0.29	0.20	Y
Casement Picture	Std GIA/SDL	1"	Zo-e-shield 5 w/ Argon	0.26	0.19	Y
Casement Picture	Std GIA/SDL	1"	Zo-e-shield 6	0.30	0.19	Y
Casement Picture	Std GIA/SDL	1"	Zo-e-shield 6 w/ Argon	0.26	0.19	Y
Casement Picture	15/16" GIA	1"	Zo-e-shield 5 w/ Argon	0.27	0.17	Y
Sliding Patio Door	none	3/4"	Insul Low-e 240 w/ Argon	0.30	0.20	Y
Sliding Patio Door	none	3/4"	Zo-e-shield 5 w/ Argon	0.29	0.22	Y
Sliding Patio Door	Std GIA/SDL	3/4"	Insul Low-e 240 w/ Argon	0.30	0.18	Y
Sliding Patio Door	Std GIA/SDL	3/4"	Zo-e-shield 5 w/ Argon	0.29	0.19	Y
Sliding Patio Door	15/16" GIA	3/4"	Insul Low-e 240 w/ Argon	0.30	0.16	Y
Sliding Patio Door	15/16" GIA	3/4"	Zo-e-shield 5 w/ Argon	0.29	0.17	Y

Visions 2000

Casement	none	3/4"	Insul Low E w/ Argon	0.29	0.28	Y
Casement	none	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.27	Y
Casement	none	3/4"	Insul Low-e 240 w/ Argon	0.30	0.17	Y
Casement	none	3/4"	Zo-e-shield 5 w/ Argon	0.29	0.19	Y
Casement	none	3/4"	Zo-e-shield 6 w/ Argon	0.29	0.19	Y

Continued on the next page



Performance Data & Information

Home Energy Efficiency Improvement Tax Credit

Manufacturer's Certification Statement

880 Southview Drive, Mosinee, WI 54455

Visions Windows and Doors is a manufacturer of exterior windows and patio doors. This Manufacturer's Certification Statement serves as verification that the Visions window and door products listed below qualify for the Energy Tax Credit in accordance with IRS 2006-26 document.

Visions 2000

<u>Product Line</u>	<u>Grills</u>	<u>Glazing Thickness</u>	<u>Glazing Option</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>Tax Credit</u>
Casement	Std GIA/SDL	3/4"	Insul Low E w/ Argon	0.29	0.25	Y
Casement	Std GIA/SDL	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.24	Y
Casement	Std GIA/SDL	3/4"	Insul Low-e 240 w/ Argon	0.30	0.16	Y
Casement	Std GIA/SDL	3/4"	Zo-e-shield 5 w/ Argon	0.29	0.17	Y
Casement	Std GIA/SDL	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.17	Y
Casement	15/16" GIA	3/4"	Insul Low E w/ Argon	0.29	0.23	Y
Casement	15/16" GIA	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.22	Y
Casement	15/16" GIA	3/4"	Insul Low-e 240 w/ Argon	0.30	0.15	Y
Casement	15/16" GIA	3/4"	Zo-e-shield 5 w/ Argon	0.29	0.16	Y
Casement	15/16" GIA	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.16	Y
Awning	none	3/4"	Insul Low E w/ Argon	0.29	0.28	Y
Awning	none	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.27	Y
Awning	none	3/4"	Insul Low-e 240 w/ Argon	0.30	0.17	Y
Awning	none	3/4"	Zo-e-shield 5 w/ Argon	0.28	0.19	Y
Awning	none	3/4"	Zo-e-shield 6 w/ Argon	0.29	0.19	Y
Awning	Std GIA/SDL	3/4"	Insul Low E w/ Argon	0.29	0.25	Y
Awning	Std GIA/SDL	3/4"	Insul Low-e 240 w/ Argon	0.30	0.16	Y
Awning	Std GIA/SDL	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.24	Y
Awning	Std GIA/SDL	3/4"	Zo-e-shield 5 w/ Argon	0.28	0.17	Y
Awning	Std GIA/SDL	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.17	Y
Awning	15/16" GIA	3/4"	Insul Low E w/ Argon	0.29	0.23	Y
Awning	15/16" GIA	3/4"	Insul Low-e 240 w/ Argon	0.30	0.14	Y
Awning	15/16" GIA	3/4"	Insul Bronze Low-e w/ Argon	0.29	0.22	Y
Awning	15/16" GIA	3/4"	Zo-e-shield 5 w/ Argon	0.28	0.16	Y
Awning	15/16" GIA	3/4"	Zo-e-shield 6 w/ Argon	0.30	0.16	Y
Casement Picture	none	1"	Zo-e-shield 5	0.29	0.22	Y
Casement Picture	none	1"	Zo-e-shield 5 w/ Argon	0.26	0.21	Y
Casement Picture	none	1"	Zo-e-shield 6	0.30	0.21	Y
Casement Picture	none	1"	Zo-e-shield 6 w/ Argon	0.26	0.21	Y
Casement Picture	none	1"	Zo-e-shield 7	0.24	0.20	Y
Casement Picture	none	1"	Zo-e-shield 7 w/ Argon	0.20	0.20	Y
Casement Picture	Std GIA/SDL	1"	Zo-e-shield 5	0.29	0.20	Y
Casement Picture	Std GIA/SDL	1"	Zo-e-shield 5 w/ Argon	0.26	0.19	Y
Casement Picture	Std GIA/SDL	1"	Zo-e-shield 6	0.30	0.19	Y
Casement Picture	Std GIA/SDL	1"	Zo-e-shield 6 w/ Argon	0.26	0.19	Y
Casement Picture	15/16" GIA	1"	Zo-e-shield 5 w/ Argon	0.27	0.17	Y
Single Hung	none	13/16" (N/R)	Zo-e-shield 5 w/ Argon	0.29	0.23	Y
Single Hung	none	13/16" (N/R)	Zo-e-shield 6 w/ Argon	0.29	0.21	Y
Single Hung	Std GIA/SDL	13/16" (N/R)	Zo-e-shield 5 w/ Argon	0.29	0.19	Y
Single Hung	Std GIA/SDL	13/16" (N/R)	Zo-e-shield 6 w/ Argon	0.29	0.19	Y
Single Hung	15/16" GIA	13/16" (N/R)	Zo-e-shield 5 w/ Argon	0.29	0.17	Y
Single Hung	15/16" GIA	13/16" (N/R)	Zo-e-shield 6 w/ Argon	0.30	0.17	Y
Single Hung	none	13/16" (R)	Zo-e-shield 5 w/ Argon	0.29	0.17	Y
Single Hung	none	13/16" (R)	Zo-e-shield 6 w/ Argon	0.29	0.17	Y
Single Hung	Std GIA/SDL	13/16" (R)	Insul Low-e 240 w/ Argon	0.29	0.30	Y
Single Hung	Std GIA/SDL	13/16" (R)	Zo-e-shield 5 w/ Argon	0.30	0.19	Y
Single Hung	Std GIA/SDL	13/16" (R)	Zo-e-shield 6 w/ Argon	0.30	0.19	Y
Single Hung	15/16" GIA	13/16" (R)	Zo-e-shield 5 w/ Argon	0.30	0.17	Y
Single Hung	15/16" GIA	13/16" (R)	Zo-e-shield 6 w/ Argon	0.30	0.17	Y

Continued on the next page



Performance Data & Information

Home Energy Efficiency Improvement Tax Credit

Manufacturer's Certification Statement

880 Southview Drive, Mosinee, WI 54455

Visions Windows and Doors is a manufacturer of exterior windows and patio doors. This Manufacturer's Certification Statement serves as verification that the Visions window and door products listed below qualify for the Energy Tax Credit in accordance with IRS 2006-26 document.

Visions 2000

<u>Product Line</u>	<u>Grills</u>	<u>Glazing Thickness</u>	<u>Glazing Option</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>Tax Credit</u>
Double Hung	none	13/16"	Insul Low-e 240 w/ Argon	0.30	0.19	Y
Double Hung	none	13/16"	Zo-e-shield 5 w/ Argon	0.28	0.20	Y
Double Hung	none	13/16"	Zo-e-shield 6 w/ Argon	0.28	0.20	Y
Double Hung	Std GIA/SDL	13/16"	Insul Low-e 240 w/ Argon	0.30	0.17	Y
Double Hung	Std GIA/SDL	13/16"	Zo-e-shield 5 w/ Argon	0.28	0.18	Y
Double Hung	Std GIA/SDL	13/16"	Zo-e-shield 6 w/ Argon	0.28	0.18	Y
SH Picture	none	13/16"	Zo-e-shield 5 w/ Argon	0.29	0.23	Y
SH Picture	none	13/16"	Zo-e-shield 6 w/ Argon	0.29	0.23	Y
SH Picture	Std GIA/SDL	13/16"	Zo-e-shield 5 w/ Argon	0.29	0.21	Y
SH Picture	Std GIA/SDL	13/16"	Insul Low-e 240	0.30	0.26	Y
Single Slider	none	13/16" (N/R)	Zo-e-shield 5 w/ Argon	0.29	0.21	Y
Single Slider	none	13/16" (N/R)	Zo-e-shield 6 w/ Argon	0.29	0.21	Y
Single Slider	Std GIA/SDL	13/16" (N/R)	Zo-e-shield 5 w/ Argon	0.29	0.19	Y
Single Slider	Std GIA/SDL	13/16" (N/R)	Zo-e-shield 6 w/ Argon	0.30	0.19	Y
Single Slider	15/16" GIA	13/16" (N/R)	Zo-e-shield 5 w/ Argon	0.29	0.17	Y
Single Slider	15/16" GIA	13/16" (N/R)	Zo-e-shield 6 w/ Argon	0.30	0.17	Y
Single Slider	none	13/16" (R)	Zo-e-shield 5 w/ Argon	0.29	0.21	Y
Single Slider	none	13/16" (R)	Zo-e-shield 6 w/ Argon	0.29	0.21	Y
Single Slider	Std GIA/SDL	13/16" (R)	Zo-e-shield 5 w/ Argon	0.29	0.19	Y
Single Slider	Std GIA/SDL	13/16" (R)	Zo-e-shield 6 w/ Argon	0.30	0.19	Y
Single Slider	15/16" GIA	13/16" (R)	Zo-e-shield 5 w/ Argon	0.29	0.17	Y
Single Slider	15/16" GIA	13/16" (R)	Zo-e-shield 6 w/ Argon	0.30	0.17	Y
Double Slider	none	13/16"	Insul Bronze Low-e w/ Argon	0.29	0.29	Y
Double Slider	none	13/16"	Insul Low-e 240 w/ Argon	0.29	0.19	Y
Double Slider	none	13/16"	Zo-e-shield 5 w/ Argon	0.28	0.20	Y
Double Slider	none	13/16"	Zo-e-shield 6 w/ Argon	0.28	0.20	Y
Double Slider	Std GIA/SDL	13/16"	Insul Low-e w/ Argon	0.29	0.28	Y
Double Slider	Std GIA/SDL	13/16"	Insul Bronze Low-e w/ Argon	0.29	0.26	Y
Double Slider	Std GIA/SDL	13/16"	Insul Low-e 240 w/ Argon	0.29	0.17	Y
Double Slider	Std GIA/SDL	13/16"	Zo-e-shield 5 w/ Argon	0.28	0.18	Y
Double Slider	Std GIA/SDL	13/16"	Zo-e-shield 6 w/ Argon	0.29	0.18	Y
Double Slider	15/16" GIA	13/16"	Insul Low-e w/ Argon	0.29	0.25	Y
Double Slider	15/16" GIA	13/16"	Insul Bronze Low-e w/ Argon	0.29	0.24	Y
Double Slider	15/16" GIA	13/16"	Insul Low-e 240 w/ Argon	0.29	0.15	Y
Double Slider	15/16" GIA	13/16"	Zo-e-shield 5 w/ Argon	0.28	0.17	Y
Double Slider	15/16" GIA	13/16"	Zo-e-shield 6 w/ Argon	0.29	0.17	Y
Triple Slider	none	13/16" (N/R)	Zo-e-shield 5 w/ Argon	0.29	0.21	Y
Triple Slider	none	13/16" (N/R)	Zo-e-shield 6 w/ Argon	0.29	0.21	Y
Triple Slider	Std GIA/SDL	13/16" (N/R)	Zo-e-shield 5 w/ Argon	0.29	0.19	Y
Triple Slider	Std GIA/SDL	13/16" (N/R)	Zo-e-shield 6 w/ Argon	0.30	0.19	Y
Triple Slider	15/16" GIA	13/16" (N/R)	Zo-e-shield 5 w/ Argon	0.29	0.17	Y
Triple Slider	15/16" GIA	13/16" (N/R)	Zo-e-shield 6 w/ Argon	0.30	0.17	Y
Triple Slider	none	13/16" (R)	Zo-e-shield 5 w/ Argon	0.29	0.21	Y
Triple Slider	none	13/16" (R)	Zo-e-shield 6 w/ Argon	0.29	0.21	Y
Triple Slider	Std GIA/SDL	13/16" (R)	Zo-e-shield 5 w/ Argon	0.29	0.19	Y
Triple Slider	Std GIA/SDL	13/16" (R)	Zo-e-shield 6 w/ Argon	0.30	0.19	Y
Triple Slider	15/16" GIA	13/16" (R)	Zo-e-shield 5 w/ Argon	0.29	0.17	Y
Triple Slider	15/16" GIA	13/16" (R)	Zo-e-shield 6 w/ Argon	0.30	0.17	Y

Continued on the next page



Performance Data & Information

Home Energy Efficiency Improvement Tax Credit

Manufacturer's Certification Statement

880 Southview Drive, Mosinee, WI 54455

Visions Windows and Doors is a manufacturer of exterior windows and patio doors. This Manufacturer's Certification Statement serves as verification that the Visions window and door products listed below qualify for the Energy Tax Credit in accordance with IRS 2006-26 document.

Visions 2000

<u>Product Line</u>	<u>Grills</u>	<u>Glazing Thickness</u>	<u>Glazing Option</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>Tax Credit</u>
Direct Set	none	1"	Zo-e-shield 5 w/ Argon	0.27	0.24	Y
Direct Set	none	1"	Zo-e-shield 6	0.30	0.24	Y
Direct Set	none	1"	Zo-e-shield 6 w/ Argon	0.26	0.24	Y
Direct Set	none	1"	Zo-e-shield 7	0.23	0.22	Y
Direct Set	none	1"	Zo-e-shield 7 w/ Argon	0.19	0.22	Y
Direct Set	Std GIA/SDL	1"	Zo-e-shield 5 w/ Argon	0.27	0.22	Y
Direct Set	Std GIA/SDL	1"	Zo-e-shield 6	0.30	0.22	Y
Direct Set	Std GIA/SDL	1"	Zo-e-shield 6 w/ Argon	0.26	0.22	Y
Direct Set	Std GIA/SDL	1"	Zo-e-shield 7 w/ Argon	0.19	0.17	Y
Direct Set	15/16" GIA	1"	Zo-e-shield 5 w/ Argon	0.28	0.20	Y
Direct Set	15/16" GIA	1"	Zo-e-shield 7 w/ Argon	0.19	0.16	Y
Sliding Patio Door	none	3/4"	Insul Low-e 240 w/ Argon	0.30	0.20	Y
Sliding Patio Door	none	3/4"	Zo-e-shield 5 w/ Argon	0.29	0.22	Y
Sliding Patio Door	Std GIA/SDL	3/4"	Insul Low-e 240 w/ Argon	0.30	0.18	Y
Sliding Patio Door	Std GIA/SDL	3/4"	Zo-e-shield 5 w/ Argon	0.29	0.19	Y
Sliding Patio Door	15/16" GIA	3/4"	Insul Low-e 240 w/ Argon	0.30	0.16	Y
Sliding Patio Door	15/16" GIA	3/4"	Zo-e-shield 5 w/ Argon	0.29	0.17	Y

Visions 1500

<u>Product Line</u>	<u>Grills</u>	<u>Glazing Thickness</u>	<u>Glazing Option</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>Tax Credit</u>
Single Hung	none	5/8"	Insul Low-e 240 w/ Argon	0.30	0.21	Y
Single Hung	none	5/8"	Zo-e-shield 5 w/ Argon	0.29	0.23	Y
Single Hung	Std GIA	5/8"	Zo-e-shield 5 w/ Argon	0.30	0.21	Y
Single Hung	15/16" GIA	5/8"	Zo-e-shield 5 w/ Argon	0.30	0.19	Y
Direct Set	none	5/8"	Insul Low-e 240 w/ Argon	0.28	0.22	Y
Direct Set	none	5/8"	Zo-e-shield 5 w/ Argon	0.27	0.24	Y
Direct Set	Std GIA	5/8"	Insul Low-e 240 w/ Argon	0.28	0.20	Y
Direct Set	Std GIA	5/8"	Zo-e-shield 5 w/ Argon	0.27	0.24	Y
Direct Set	15/16" GIA	5/8"	Insul Low-e w/ Argon	0.28	0.29	Y
Direct Set	15/16" GIA	5/8"	Insul Bronze Low-e w/ Argon	0.28	0.28	Y
Direct Set	15/16" GIA	5/8"	Insul Low-e 240 w/ Argon	0.28	0.18	Y
Direct Set	15/16" GIA	5/8"	Zo-e-shield 5 w/ Argon	0.27	0.20	Y
Single Slider	none	5/8"	Zo-e-shield 5 w/ Argon	0.30	0.23	Y
Single Slider*	none	3/4"	Zo-e-shield 5 w/ Argon	0.29	0.23	Y
Single Slider*	Std GIA	3/4"	Zo-e-shield 5 w/ Argon	0.29	0.23	Y
Single Slider*	15/16" GIA	3/4"	Zo-e-shield 5 w/ Argon	0.29	0.23	Y

Continued on the next page



Performance Data & Information

Home Energy Efficiency Improvement Tax Credit


Manufacturer's Certification Statement

880 Southview Drive, Mosinee, WI 54455

Visions Windows and Doors is a manufacturer of exterior windows and patio doors. This Manufacturer's Certification Statement serves as verification that the Visions window and door products listed below qualify for the Energy Tax Credit in accordance with IRS 2006-26 document.

Visions 1000

<u>Product Line</u>	<u>Grills</u>	<u>Glazing Thickness</u>	<u>Glazing Option</u>	<u>U-Factor</u>	<u>SHGC</u>	<u>Tax Credit</u>
Double Hung	none	5/8"	Zo-e-shield 5 w/ Argon	0.30	0.23	Y
Single Hung	none	5/8"	Zo-e-shield 5 w/ Argon	0.30	0.24	Y
Single Slider	none	5/8"	Zo-e-shield 5 w/ Argon	0.29	0.24	Y
DH - Picture	none	5/8" - 1/8" lites	Zo-e-shield 5 w/ Argon	0.29	0.24	Y

Terms and Conditions:
Updated 06/1/10
Std GIA/SDL refers to 5/8" Grilles in the Airspace, 11/16" Grilles in the Airspace, and Simulated Divided Lite.
15/16" GIA refers to 15/16" Grilles in the Airspace.
*This unit requires a special product request specifying 3/4" glass.
(N/R) refers to a non-reinforced check rail. (R) refers to a reinforced check rail.
All units are tested in accordance to National Fenestration Rating Counsel (NFRC) procedures. U-Factors are derived from computer simulations using WINDOW 5.2 and THERM 5.2 programs. Simulations are then verified by testing in accordance with NFRC 100-04.
The performance of windows and doors may be affected by factors beyond Visions' control, such as handling and installation, construction details of the building, exposure conditions, maintenance, normal wear and tear, migration of an inert gas from the insulated glass unit and the like. Ratings (for example, R or U-factors, infiltration tests, etc.) are for comparison purposes only. While Visions products are manufactured to meet or exceed published ratings, it is not possible to guarantee that they will meet or exceed those ratings after they have been installed, and this is specifically excluded from any warranty.
Under penalties of perjury, I declare that I have examined this certification statement, and to the best of my knowledge and belief, the facts are true, correct, and complete.

Emory Budzinski Senior Product Manager